



## Sprinkling Regulations

### As Per Bylaw No. 610

The following regulations are directly from our Bylaw.

**No person shall**, without permission of the Trustees:

1. Use water for sprinkling in excess of reasonable requirements.
2. Use more than one outlet at one time for sprinkling lawns and gardens, of which outlet shall not exceed  $\frac{3}{4}$ " in external diameter.
3. Use an open pipe or hose for sprinkling purposes.
4. Irrigate more than  $\frac{1}{2}$  acre of land (including that occupied by dwellings).
5. Underground sprinkler systems must be approved by the Trustees and must be equipped with a timing device which permits operation between 12:00am (midnight) and 6:00am only.

#### **Agricultural Irrigation Regulations:**

6. Ensure dole valves are working and properly sized. Agricultural users are permitted 5.0 US gallons per minute, per acre, 24 hours per day
7. No leaks are permitted within the irrigation system, and all sprinkler heads are in good repair.
8. No watering on Grade D lands, outside of property, or on roadways. Ensure irrigated water is not pooling and/or flowing onto adjacent lands. Watering of Grade D lands is subject to payment of the Capital Expenditure Charge for Irrigation at the current CEC bylaw rate.

#### **Additionally:**

9. Sprinkling on driveways, sidewalks or roadways is not permitted.
  10. Use of full recirculation is required in decorative fountains and decorative waterworks only.
-